



FAST | EASY | BEAUTIFUL

Model R & RX

Product Catalogue

The first Walker Mower made the trip to New Zealand in 1987. Since then over 10,000 Walker Mowers have been sold in New Zealand! It has been a remarkable journey for the Walker Mower to find a home so far away from the factory.

The New Zealand market is important to Walker, because not only have we met many fans of the product over the years, but we have also learned a lot from them. We have learned about how different environments require different types of machine performance, and, as an agile manufacturer, we have been able to adapt to this concept for New Zealand.

In this brochure, you will get to know the Walker as presented for the New Zealand market, and you will also see some of the specific adaptations that have helped make the Walker Mower a favourable choice for thousands of New Zealand customers over the past 35 plus years.

We appreciate your consideration of our product, and we look forward to the opportunity to show you how the Walker performs in your conditions.

Service Agreement:

As a Walker owner, you can expect to receive the highest quality performance from your product and matching service from the local dealer where you made your purchase. Walker Mowers are sold by independent dealerships who understand the line and agree to follow Walker's Sales with Service commitment to our customers. Dealers are established by independent distributors who are backed by Walker Manufacturing Company. Walker is an independent, family-owned, manufacturer of high quality, American-made, power equipment products since 1980.

Our product design has benefited from our exposure in the New Zealand market. We have continued to gain experience and knowledge about mowing and grass conditions as the machine has been used in your mowing conditions. As a result, our overall design for use around the world has been improved and customers in other places have benefited from our wide exposure. Many times people tend to think, and they tell us, they have the toughest mowing conditions in the world, but there is no doubt that mowing in New Zealand does put extra stress and strain on some parts of the machine with your preference for mowing at low cutting heights and with some tough strains of grass.



Bob Walker
President, Walker
Manufacturing

A handwritten signature in black ink that reads "Bob Walker". The signature is fluid and cursive, matching the printed name above it.

Warranty:

Today, it is popular to talk about a "lifetime" warranty, but what really matters is how that promise is kept. We don't use warranty as a gimmick to sell our product – rather, we use it as a promise to stand behind our workmanship. Walker aims to use warranty as it is meant to be used – helping customers get back to work quickly in the event of a manufacturer's defect or failure of workmanship. Transaxles, transmissions and the engine is warranted separately by their manufacturer's warranty.

MODEL R

- 3 years or 300 hours on all components excluding Kohler Engine/ Battery.

RX

- Full commercial coverage
- 2 Years or 2000 hours on drive system
- 3 years on Engine
- 2 Years on the Entire Tractor



Front-Mount Deck

Achieving a beautiful cut has been our focus from the very first Walker Mower design. Positioning the mowing deck in front of the machine is fundamental to producing high-quality results. The front-mount deck of the Walker reduces impact on the turf prior to cutting, resulting in a more consistent, carpet-like finish. This result is achieved by transferring weight from the deck caster tires which minimizes matting of the grass.

The Walker torsion-flex carrier frame allows the deck to freely articulate and flex laterally, producing a smooth cut, even over complicated ground contours. This makes Walker Mowers ideal for mowing uneven turf.

Flexible deck suspension





Deck articulates over uneven terrain

Short Deck Coupling

Front-mount decks also create a shorter distance between the contact point of the drive tire and the contact point of the front caster tire, allowing Walker decks to precisely follow ground contours. Compared to mid-mount hanging decks, Walker mowing decks scalp less and leave less uncut grass in the valleys of ground contours.

SCALP LESS GRASS ON THE CREST



CUT MORE GRASS IN THE VALLEY



Tilt-Open Seat and Tilt-Up Deck

The Model R's tilt-open seat quickly exposes the drive belts, electric system, and drivetrain making service and maintenance easy. No special tools are needed. Simply release the seat panel latch and the gas spring assisted seat pan opens up for access to all of the working components.

All Walker decks quickly tilt-up, making maintenance tasks safe and easy. It takes seconds to unlock, lift, and secure the deck in the up position, providing access to the blades and housing. The mower deck drive belt connection is automatically maintained as the deck is raised and lowered.

Tilt-open Deck



Tilt-open Seat



Integrated Front-Mount Deck Design

The deck mounts on independent articulating deck arms, allowing it to freely move up and down, minimizing scalping and uncut areas of grass. The torsion-flex carrier frame also allows the deck to flex side-to-side, so no matter the terrain, the Model R delivers a beautiful cut.

Compact

Most lawns have areas with low hanging branches, narrow gates, or other obstacles that are difficult to mow. The compact size of the Walker Mower gives you the ability to mow challenging properties easily and efficiently.

The Walker Mower has a small footprint designed to get into and out of tight places like gates, between beds and trees, fence corners, and other similar landscape features.



Front-mount deck

Balance - Weight Distribution

Operator position, balanced weight distribution, and a low center of gravity set the Walker apart. Traction is increased when the weight of the mower is concentrated where the drive tires meet the turf. Whether you are mowing on hillsides or making high-speed zero-turns, the Walker will provide the traction that allows you to mow with confidence.

Balance - allows for less strain (wear & tear) on drive motors, resulting in less wear and longer life on components.



Precision Steering and Handling

The Walker steering system uses a Forward Speed Control, controlled with the operator's right hand, to engage and set the maximum forward speed of the machine. Once in the drive position, the Forward Speed Control uses a friction lock to work as a cruise control, allowing the operator to control the mower by simply applying pulling pressure on the steering levers. To stop, pull the Forward Speed Control back to the Neutral-Park position.

Walker Mower steering levers, controlled with the operator's left hand, give precise control the moment pressure is applied. Each steering lever is spring-dampened, providing smooth machine operation. The operator easily steers the machine by controlling both levers with a single hand using only gentle fingertip pressure. The steering system is designed for precision steering and handling using optimal linkage geometry and high-quality components.




Forward Speed Control

Steering Levers for precise finger-tip control

Fast On-The-Job Mowing


Zero-turn maneuverability is standard on every Walker Mower through dual, independent hydrostatic transmissions. This allows each drive tire to operate independently in any range of motion. Paired with its compact size, low center of gravity, and operator position directly on the center of the rotation axis, the Walker Mower is one of the most agile mowers on the market.

Tight trimming is fast, accurate, and easy, allowing the operator to maintain constant forward motion, increasing productivity and quality of mowing.



Model *R*42

Home gardeners, landscapers and lifestyle block owners who are serious about their landscape will appreciate the versatility and reliability of the Walker R range of products.



Lowest price, non-collection
Walker mower

Model R48

A variety of improvements have been made to the Model R for better operation, more reliability, and an overall increase in performance. The highlight of these improvements includes using the Kohler KT722 engine. This 22 HP engine has a higher displacement, increased horsepower, and greater torque.

AGILE
Be Responsive,
Be Profitable

PREMIUM
Walker Mower

Model *R* 54

The Walker Model R can help keep the place you call home beautiful. Home gardeners, landscapers and lifestyle block owners will appreciate the versatility and reliability of the Walker R range of products.



COMPACT
Get into and out
of tight spots

Model RX42

The Model RX is the perfect mower for residential and commercial properties, combining commercial grade durability with all-day comfort in a compact, agile package.

Warranty

Full commercial coverage.
2 Years or 2000 hours on drive system /
3 years on Engine /
2 Years on the Entire Tractor.

Well-cushioned
comfort seat
enhances operator
comfort

Model RX42

The RX, improvements give the operator increased productivity and greater comfort.

KEY ATTRIBUTES:

- Agile, Accessible, Compact.
- LED headlight kit for mowing in the dark.
- Full commercial warranty.
- Commercial duty - Full welded tilt-up deck.
- Comfort seat.
- Split tail wheel design for a smoother ride.
- Finger-tip steering precision steering and handling.
- Tilt-open bodies for easy maintenance.
- Cruise control function of the forward speed.



42" SD DECK
'Side discharge deck'

KEY FEATURES:

- Engine: Kohler KT722
- Engine Displacement: 747 cc (45.6 cu. in.)
- Max Power: 22 HP @ 3600 RPM.
- Max Torque: 40.4 ft-lbs.
- Clutch: Electric Clutch with Brake
- Cooling System: Air-cooled.
- Fuel: Gasoline (unleaded - min. 87 octane).
- Fuel Capacity: 3 gal (11.4 liters).
- Transaxles: Dual Independent.
Hydro-Gear®, ZT-3100.
- Forward Speed: 0-8 MPH (0-13 km/h).
- LENGTH: 89.25 in (227 cm) Tractor with 42" Deck.
- WIDTH: 43 in (109 cm) Discharge Shield Raised.
- HEIGHT: 42 in (107 cm) Tractor.
- WEIGHT: 661 lbs (300 kg) Tractor with 42" Deck.

Mower Type: Non-Collection
 Deck: DS42-R Side 42" Discharge
 Cutting Height: 1.5 to 4 inches (4 to 10 cm)
 Application: Residential and Commercial users


ACCESSORIES:

| | |
|--|------------------|
| Mulch Kit - for DS42-R42" Deck | Part No. 1162P |
| Electric Deck Lift - 42" Deck | Part No.1870WRX |
| Deck Height Adjuster Kit - 42" Deck | Part No.1900R |
| Accelerator Grass Catcher Kit 42" Deck | Part No. A40-C |
| Armrest Kit: For Comfort Seat | Part No. 6104-17 |
| All Terrain Tyres 20x10-10 (1 Only) | Part No. 8070-20 |

Higher ground speed is achieved by using 20" drive tires

Model RX48

Delivering the smooth, quiet, and reliable performance operators expect from Walker, the RX Series is designed to maximise productivity without sacrificing comfort.



Integrated headlights ensure safe operation during low-light conditions.

Mulching Function

All RX models also offer an optional NZ-designed mulching system, giving your lawn a beautifully finished look with every pass.

Model RX48

Powered by a 22 HP Kohler KT722 engine with SmartChoke™ technology, the RX Series offers effortless starts and consistent power, delivering a premium Walker mowing experience.

KEY ATTRIBUTES:

- Agile, Accessible, Compact.
- LED headlight kit for mowing in the dark.
- Full commercial warranty.
- Commercial duty - Full welded tilt-up deck.
- Comfort seat.
- Split tail wheel design for a smoother ride.
- Finger-tip steering precision steering and handling.
- Tilt-open bodies for easy maintenance.
- Cruise control function of the forward speed.



48" SD DECK
'side discharge deck'

KEY FEATURES:

- Engine: Kohler KT722
- Engine Displacement: 747 cc (45.6 cu. in.)
- Max Power: 22 HP @ 3600 RPM.
- Max Torque: 40.4 ft-lbs.
- Clutch: Electric Clutch with Brake
- Cooling System: Air-cooled
- Fuel: Gasoline (unleaded - min. 87 octane).
- Fuel Capacity: 3 gal (11.4 liters).
- Transaxles: Dual Independent Hydro-Gear®, ZT-3100.
- Forward Speed: 0-8 MPH (0-13 km/h).
- LENGTH: 92.25 in (234 cm) Overall length.
- WIDTH: 49 in (124 cm) Discharge Shield Raised.
- HEIGHT: 42 in (107 cm) Tractor.
- WEIGHT: 680 lbs (308 kg) Tractor with 48" deck.

Mower Type: Non-Collection
 Deck: DS48-R Side 48" Discharge
 Cutting Height: 1.5 to 4 inches (4 to 10 cm)
 Application: Residential and Commercial users

ACCESSORIES:

| | |
|--|------------------|
| Mulch Kit - for DS48-R 48" Deck | Part No. 1163P |
| Electric Deck Lift - 48" Deck | Part No. 1870WRX |
| Deck Height Adjuster Kit - 48" Deck | Part No. 1900R |
| Accelerator Grass Catcher Kit 48" Deck | Part No. A41-C |
| Armrest Kit: For Comfort Seat | Part No. 6104-17 |
| All Terrain Tyres 20x10-10 (1 Only) | Part No. 8070-20 |

Commercial-grade transaxles enable use by contractors on high-demand properties.

Model **RX54**

A well-cushioned comfort seat enhances operator comfort for extended use. 20-inch drive tires, a split tail wheel, and the comfort seat work together to deliver a smoother ride at speeds up to 12.9 km/h, allowing for faster, cleaner cuts across diverse terrain. Spread axle tail wheels add exceptional stability and a smooth ride.



Spread axle
tail wheels add
exceptional
stability and a
smooth ride.

Transmission

Dual Hydro-Gear®, ZT-3100 Integrated Transaxles. Commercial-grade transaxles enable use by contractors on high-demand properties.

Model RX54

Spread axle tail wheels add exceptional stability and a smooth ride. Integrated headlights ensure safe operation during low-light conditions.



KEY ATTRIBUTES:

- Agile, Accessible, Compact.
- LED headlight kit for mowing in the dark.
- Full commercial warranty.
- Commercial duty - Full welded tilt-up deck.
- Comfort seat.
- Split tail wheel design for a smoother ride.
- Finger-tip steering precision steering and handling.
- Tilt-open bodies for easy maintenance.
- Cruise control function of the forward speed.

54" SD DECK
'side discharge deck'

KEY FEATURES:

- Engine: Kohler KT722
- Engine Displacement: 747 cc (45.6 cu. in.)
- Max Power: 22 HP @ 3600 RPM.
- Max Torque: 40.4 ft-lbs.
- Clutch: Electric Clutch with Brake.
- Cooling System: Air-cooled
- Fuel: Gasoline (unleaded - min. 87 octane).
- Fuel Capacity: 3 gal (11.4 liters).
- Transaxles: Dual Independent Hydro-Gear®, ZT-3100.
- Forward Speed: 0-8 MPH (0-13 km/h).
- LENGTH: 91.25 in (232 cm) Tractor with 54" Deck.
- WIDTH: 55 in (140 cm) Discharge Shield Raised.
- HEIGHT: 42 in (107 cm) Overall Height.
- WEIGHT: 703 lbs (318 kg) Tractor with 54" deck.

Mower Type: Non-Collection
 Deck: DS54-R Side 54" Discharge
 Cutting Height: 1.5 to 4 inches (4 to 10 cm)
 Application: Residential and Commercial users

ACCESSORIES:

- | | |
|---|------------------|
| MulchKit -for DS54-R54" Deck | Part No. 1950R |
| Tools required for install/removal | |
| Electric Deck Lift -54" Deck | Part No. 1870WRX |
| C/w spring mounts (2647-3 Tail Weight 10lbs recommended with 54") | |
| Deck Height Adjuster Kit -54" Deck | Part No. 1920R |
| Armrest Kit: For Comfort Seat | Part No. 6104-17 |
| All Terrain Tyres 20x10-10 (1 Only) | Part No. 8070-20 |

20-inch drive tires provide superior traction on diverse terrain.

Add-ons: Options

Stevens MACH II mulching kit

The swing-back Mach II blade system provides optimum mulching in your conditions and protection against impact. Simple and straightforward baffle system changes the cutting modes without tools.

The baffles are secured with hand knobs to achieve the various configurations. The tilt-up deck allows quick and easy access to the underside. The changeover between cutting modes takes less than a minute! Includes bolt-in baffles and serrated mulching blades.

Mach II blade system– reduces air flow and cuts grass particles smaller, not only does your lawn look nice you will enjoy mowing faster, with less dust and grass.

- Mulch kits - NZ designed and manufactured.
- **Reduces dust** from your lawn mowing
- Efficiently manicure the grass and help **recirculate the cut material** back into the turf.
- Provides an advantage when cutting grass, but also **cleaning up leaves**.
- Mulching gives a **superior mowing finish**, the grass clippings are not thrown out the side onto the garden beds / across paths and driveways etc.

42" / 48" Mulch Kit:

Includes NZ Mach II blade kit and mulch baffle

P/N: 1162P for DS42-R 42" Deck

P/N: 1163P for DS48-R 48" Deck



54" Mulchkit:

Includes NZ Mach II blade kit and mulch baffle P/N: 1950R for DS54-R 54" Deck

– Tools required for install/removal



54" Mulch Deck

Blade Rotation



Add-ons: Options



Comfort Seat 'Model R'

Comfort seat standard on RX models

The Comfort Seat (shown left) is custom-designed with improved seat-bolstering and back profile for increased posture and support. The base cushion features Elastometric Vibration Control which greatly increases comfort during operation.

The Comfort Seat cover is made of marine grade, UV resistant industrial vinyl and features impermeable contrasting yellow stitching and subdued Walker branding embroidered on the seat back. The wear-resistant seat cover is easily replaceable. Matching armrests are available as an optional upgrade.

Comfort Seat:P/N:6104-10

Armrest kit sold separately from comfort seat

- Armrest for standard seat : P/N: 5885
- Armrest for comfort seat : P/N: 6104-17

Headlights

The LED Headlights incorporate a durable, cast aluminum housing with five LED lamps in each light assembly. The lights are positioned to illuminate the front and sides of the mower deck, providing increased situational awareness and safety for both the operator and bystanders.

LED Light Kit.....P/N 5989-15



LED headlights standard on RX models



Add-ons: Options

Electric Deck Lift

Exclusively engineered and manufactured by Stevens Group. SUPERIOR TO MANUAL DECK LIFT FOR MANY REASONS

KEY BENEFITS:

- Raising the deck up to 90 degrees - simply at a push of a button.
- Reduce the space required for transport and storage.
- Less manual lifting.
- Take the back strain out of lifting.
- Tilt-Up makes it easy to automatically tilt-up deck for maintenance, transportation, and storage.
- Deck floats and goes with contours.
- Lifting the deck avoids sticks and stones from damaging the chute.
- Drive over rough terrain or stones with the deck raised to minimise wear and tear.
- Tidy cut over curbs.
- Increase your Walker's traction on hilly and wet areas.
- Get over curb edges without scraping.
- Mow out over the curb and ditch edges with the deck in a horizontal position to achieve an immaculate finish with no scalping.
- Lifting means no scalping to the deck which allows for product longevity.
- Effective mowing on overgrown areas.

**Experience the difference.
Ask for a test drive today!**

*Model R & Rx have different
Electric Deck Lift options*

Bring Home **WALKER**



MODEL R

Electric Deck Lift:P/N: 1870W

- Elec. Deck Lift - 42" & 48" Decks

MODEL R

Electric Deck Lift:P/N: 1880W

- Elec. Deck Lift - 54" Decks

RX

Electric Deck Lift:P/N: 1870WRX

- Elec. Deck Lift - 42" 48" & 54" Decks
- C/w spring mounts (2647-3 Tail Weight 10lbs recommended with 54")

*Exclusively engineered and
manufactured by Stevens Group.*

Add-ons: Options

Deck Height Adjuster

This NZ designed and manufactured attachment comes standard on nearly all Walker mower decks in NZ.

Born from the fact we cut our lawns so low that it is a given you will need to change the cutting height quite regularly this handy tool makes mowing height adjustment super simple!

The mechanical Deck Height Adjuster installs directly onto the Walker mowing deck. It offers quick and easy cutting height adjustments in 1/4 inch increments, using a single hand lever within reach of the operator's seat.

Bring Home Walker

NZ designed and manufactured attachment



Deck Height Adjuster Kit:

Foot operated deck height adjuster:

- P/N: 1900R for 42" & 48" Decks
- P/N: 1920R for 54" Deck

Deck Height Adjuster offers quick and easy cutting height adjustments



Experience the difference.
Ask for a test drive today!

Add-ons: Options

Accelerator Grass Catcher

Turn your side discharge deck into a collection machine with the Accelerator® side-mount grass catcher. This add-on can be placed on a side discharge deck and used for collection of yard debris, leaves, and grass clippings. Compatible with 42", 48" decks.

Capacity: 31 Gal / 3.3 Bu / 116 L

Accelerator® Grass Catcher Kit
Includes catcher and deck counterweight kit

Turn your side discharge deck into a collection machine with the Accelerator® side-mount grass catcher.



- P/N: A40-C for 42" Deck
- P/N: A41-C for 48" Deck



Comfort seat pictured
optional on Model R range

Accelerator® grass catcher
for collection of yard
debris, leaves, and grass
clippings

Add-ons: Options

Wide All Terrain Tyre Set

The AT Tire features a high-traction, directional tread. It is ideal for increased traction in a variety of situations such as dirt work and mowing where a narrow, aggressive tire is needed.

Model R

- 8 x 11-10 All Terrain Tyres (11" wide)
- P/N: 8070-12

RX

- 20 x 10 -10
- P/N: 8070-20

High traction
/ directional tread



All Terrain Tire

Steep Hill Kit

- Wide All Terrain Tyre Set
- Counterweight Kit
- Spring Relocation Kit
- P/N: 2000RKIT

Must be used with Stevens Deck Height Adjuster.
Use with 1900R DHA when fitted onto R42 & R48 models.



Tow Hitch

- P/N: 1310-10

Tow Hitch



Steep Hill Kit & Tow Hitch
options - Model R only

Bring Home **WALKER**

walkermowers.co.nz



Experience increased
productivity & enhanced
operator comfort like
never before



Catalogue produced for New Zealand Market. Pictures are descriptive only.
Specifications and availability may vary from time to time.